



ISO 9001:2015

Manufacturer Since 1990

# Kingtronics® Kt®

## International Company

Company Profile

[www.kingtronics.com](http://www.kingtronics.com) [www.kingtronics.cn](http://www.kingtronics.cn) [www.m7diode.com](http://www.m7diode.com)  
[www.ecap.hk](http://www.ecap.hk) [www.diodes.hk](http://www.diodes.hk)

PART  
ONE

1 Kingtronics  
History

## Kingtronics History

- 1990 Kingtronics established first factory producing trimming potentiometer in Chengdu
- 1995 Kingtronics set up sales office in Dongguan, Guangdong
- 1997 added dipped tantalum capacitors production lines
- 1998 Hong Kong warehouse center set up
- 1999 set a new factory produce multilayer ceramic capacitors in Guangdong
- 2000 started to produce SMD rectifier M7, diode and rectifiers
- 2002 expanded bridge rectifier production lines and get UL approval
- 2005 ISO 9000:2008 implemented in all product control
- 2008 sales network covers all over the world and set up distributors individually
- 2010 registered a new trade mark "Kt" in HongKong
- 2016 Started to explore overseas market for Aluminum Electrolytic Capacitors after cumulating several decades' sales experience and receiving lots of positive reputation in mainland China & HK
- 2018 Started to shift business to overseas market for SMD 3mm Chip Ceramic Trimmer Capacitor & Tact Switches from mainland China & HK market.
- 2020 Expanded business to international market in March for DKT-Super Capacitors, while XKT-Metal Oxide Varistors and NKT-Negative Temperature Coefficient Thermistors became available for abroad customers in August.
- 2023 Expanded Film Capacitors Production Lines and Get VDE , ENEC and UL Approval

*Inspired by innovation*

## **Kingtronics Brief Introduction**

**Kingtronics International was established in 1995 in Hong Kong.**

**Our factories in Sichuan and Guangdong China produces our brand under the trademarks Kt and Kingtronics. Now with around 850 workers.**

**Kingtronics produces two kinds of electronic components.**

**Passive components like Aluminum Electrolytic Capacitors(Snap-in, SMD, Radial Type) and other capacitors.**

**Active components like Diodes & Transistors and Bridge Rectifiers. All our products are RoHS compliant, Reach standard.**

**Thanks to our valuable customers and the professional Kingtronics team, we built up good reputation in European market, as well as South America, USA, Canada, South Africa markets and so on after many years' hard-working.**

*Inspired by innovation*



## Kingtronics Production Line (Total: 49 lines)

- GKT - Aluminum Electrolytic Capacitor (Polymer, Axial, Radial, Snap-in, Screw and Lug, SMD Chip Type)
- RKT - Trimming Potentiometer (SMD 3313, SMD3224)  
3296 3006 3386 3299 3266 3323 3329 3318 3303 3306 3309 3540 C3305 065
- TKT - Dipped Tantalum Capacitors
- MKT & AKT - Radial & Axial Multilayer Ceramic Capacitors
- YKT & ZKT - Hybrid & Axial Tantalum Capacitors
- Diodes Transistors & Bridge Rectifiers
- QKT - Quartz Crystals and Oscillators
- SKT - Gas Tube Surge Arresters (2R, 3R and SMD Type)
- KKT - SMD 3mm Ceramic Trimmer Capacitor
- WKT - DIP and SMD Tact Switches
- XKT - Metal Oxide Varistor (05D,07D,10D,14D,20D)
- NKT - NTC Negative Temperature Coefficient Thermistor
- DKT - Radial, Snap-in, Screw and Coin, Combined Type Super Capacitors
- FKT - Film Capacitors (Hot) (Metallized Polyester Film Capacitor, X2 Metallized Polypropylene Film Capacitor (310VAC), Power Film Capacitor, DC-Link Capacitor, AC-Link Capacitor)



*Inspired by innovation*

# Kingtronics Factory



*Inspired by innovation*



# Kingtronics Factory

*Inspired by innovation*



PART  
TWO

2

**Kingtronics  
Products**



# GKT- Aluminum Electrolytic Capacitor

## Kingtronics Strong Product

- Axial Type
- Radial Type
- Snap-in Type
- Screw Type
- Lug Type
- SMD Chip Type



*Inspired by innovation*

# GKT- Polymer Aluminum Solid Electrolytic Capacitors

## Polymer Aluminum Solid Electrolytic Capacitors - SMD and Radial Type

Kingtronics P/N	Load Life	Temperatures	Characteristic
GKT-AS	2000H	105° C	Standard Low ESR
GKT-AR	2000H	105° C	Super Low ESR
GKT-AU	2000H	125° C	High Ripple Current
GKT-AX	2000H	125° C	High Temperature
GKT-AP	2000H	105° C	Low ESR



*Inspired by innovation*

# GKT- Aluminum Electrolytic Capacitor



## Aluminum Electrolytic Capacitors - Radial Type

Kingtronics P/N	Load Life	Temperatures	Characteristic
GKT-GS	2000H	85 ° C	Super Miniaturized
GKT-GT	2000H	105 ° C	High Temperature
GKT-GH	2000H	105 ° C	Low Impedance
GKT-GL	5000H	105 ° C	Long Life
GKT-GD	3000H-6000H	105 ° C	Miniaturized, long life
GKT-GE	5000H	130 ° C	Long life
GKT-GF	5000H	105 ° C	Miniaturized,high stability
GKT-GQ	4000H~10000H	105 ° C	Long life, Miniature
GKT-GR	3000H~6000H	105 ° C	Long life,High frequency
GKT-GU	3000H	105 ° C	Lowest impedance
GKT-GZ	6000H-10000H	105 ° C	Extremely long life
GKT-GN	1000H	105 ° C	Non-Polarized
GKT-GW	2000H	105 ° C	Extra Lower Impedance

*Inspired by innovation*



# GKT- Aluminum Electrolytic Capacitor



## Aluminum Electrolytic Capacitors - Axial Type

Kingtronics P/N	Load Life	Temperatures	Characteristic
GKT-AL	2000H	85° C	Low Leakage Current
GKT-AV	2000H	85° C	Standard
GKT-AT	1000H	105° C	Standard

*Inspired by innovation*

# GKT- Aluminum Electrolytic Capacitor

## Aluminum Electrolytic Capacitors For Audio System- Axial Type

Kingtronics P/N	Load Life	Temperatures	Characteristic
GKT-AA	1000H	105° C	Audio, DF at Max 4% BP
GKT-AM	1000H	105° C	Audio, DF at Max 5% BP
GKT-AN	1000H	105° C	Audio, DF at Max 10% BP
GKT-AQ	1000H	105° C	Audio, DF at Max 10% BP
GKT-AB	2000H	105° C	Non-Polarized
GKT-AC	2000H	105° C	Bi-Polarized
GKT-AD	1000H	105° C	Audio, Standard



*Inspired by innovation*

# GKT- Aluminum Electrolytic Capacitor

## Aluminum Electrolytic Capacitors - SMD Type

Kingtronics P/N	Load Life	Temperatures	Characteristic
GKT-VA	2000H	85° C	Standard
GKT-VT	1000H~2000H	105° C	Standard
GKT-VC	2000H	105° C	Low Leakage Current
GKT-VE	2000H-3000H	105° C	Long Life
GKT-VK	2000H-3000H	105° C	Extra Lower Impedance
GKT-VL	3000H-5000H	105° C	Extra Long Life
GKT-VN	2000H	105° C	Bi-polar
GKT-VZ	1000H-2000H	105° C	Low Impedance
GKT-VU	3000H	105° C	Long Life
GKT-VD	5000H	105° C	Long Life
GKT-VW	10000H	105° C	Long Life
GKT-VH	1000H-2000H	125° C	Long Life
GKT-VF	2000H-5000H	105° C	Super Low Impedance
GKT-VR	2000H-3000H	105° C	Small Size
GKT-VX	2000H	105° C	Small Size
GKT-VY	2000H	105° C	Small Size </td
GKT-VJ	2000H	105° C	Small Size



*Inspired by innovation*



# GKT- Aluminum Electrolytic Capacitor

## Aluminum Electrolytic Capacitors - Snap-in, Lug and Screw Type



Kingtronics P/N	Load Life	Temperatures	Characteristic
GKT-SB	1000H	85° C	Snap-in, High Ripple Current
GKT-SS	2000H	85° C	Snap-in, High Ripple Current
GKT-ST	2000H	105° C	Snap-in, High Ripple Current
GKT-SC	5000H	85° C	Snap-in, High Ripple Current
GKT-SD	3000H	105° C	Snap-in, High Ripple Current
GKT-CA	2000H	85° C	Screw, High Ripple Current
GKT-CB	2000H	105° C	Screw, High Ripple Current
GKT-UA	1000H	85° C	Lug, Standard product

*Inspired by innovation*

## Diode Rectifier and Transistors

**Diode Rectifier:** diode M7, LL4148, S1M, GS1M, RS1M, SM4007, UF4007, 1A7, 6A10, 1N4937, 1N5343B...

**Zener Diode:** ZV55C, BZX55C, BZX84C, BZX85C, 1N4727A-1N4761A, ZM4728 ~ZM4761, ZMM1 thru ZMM75...

**Small Signal Transistor :** BC807, BC807, BC817, BC846-BC850, BC856, BC859, MMBT3904, MMBT3906, MMBT8050



*Inspired by innovation*

## Diode Rectifier M1-M7

### 5 production line, 50kk/Month

SMD rectifier M7 surface mount general rectifier:

M1-M7: 1A, 50V-1000V, SMA, S1M

Very Attractive Price

1-2 weeks lead time, regular stock available,

5Kpcs per reel or 7.5Kpcs per reel



*Inspired by innovation*




## Bridge Rectifier

5 production line, 8kkpcs/m

### Bridge Rectifier:

DB101-DB107, DB101S-DB107S,  
MB2S-MB10S, KBL4005-KBL410,  
KBU6005-KBU610, KBP2005-KBP210,  
GBU4005-GBU410, GBJ6005-GBJ610,  
KBPC25005-KBPC2510, ABS2-ABS10,  
KBPC25005W-KBPC2510W,  
KBPC35005-KBPC3510,  
KBPC35005W-KBPC3510W, W04M...



*Inspired by innovation*

## RKT - Trimming Potentiometer

5 production line, out put 2kk pcs/month






20 years production experience

Good quality, free samples are available for quality test

4-5 weeks Lead Time for common items

Regular samples stock is available

ISO & SGS Certified; RoHS compliant



*Inspired by innovation*

## Multilayer Ceramic Capacitor

### **MKT - Radial Multilayer Ceramic Capacitor (NPO, X7R, Y5V)**

5 production line, out put 10kk/mon

### **AKT - Axial Ceramic Capacitor (NPO, X7R, Y5V)**


1 production line, 2kk/mon

Tolerance  $\pm 20\%$ ;  $\pm 10\%$ ;  $\pm 5\%$

### **SMD Multilayer Ceramic Capacitor**

(0402, 0603, 0805, 1206, 1210, 1812, 25V,  
50V, 500V, 1000V, 2000V, 4000V)

**Lead Time for MKT/AKT:** Normally about 4 weeks



*Inspired by innovation*




## TKT - Dipped Tantalum Capacitor

**3 production line, out put 2.5kk/month**

Ammo and Bulk Packaging Available

Tolerance  $\pm 20\%$ ;  $\pm 10\%$ ;  $\pm 5\%$  (for special order)

Dipped tantalum cap meets & exceeds the requirements of IEC Spec 384-15-3, IECQ Spec QC300201/US003 & J/T10856-96, RoHS Compliant.



*Inspired by innovation*

# Hybrid, Axial Tantalum Capacitors

SERIES	DESCRIPTION	CAP. RANGE	VOLT. RANGE (DC)
YKT-001	Hybrid, Radial-lead, Heteropolarity	160 - 50000 $\mu$ F	10V - 125V
YKT-002	Hybrid, Radial-lead, Heteropolarity	1100 - 150000 $\mu$ F	10V - 125V
YKT-003	Hybrid, Radial-lead, Heteropolarity	2200 - 230000 $\mu$ F	10V - 125V
YKT-1W0	Radial-lead, Heteropolarity, screws	160 - 50000 $\mu$ F	10V - 125V
YKT-2W0	Radial-lead, Heteropolarity, screws	1100 - 150000 $\mu$ F	10V - 125V
YKT-3W0	Radial-lead, Heteropolarity, screws	2200 - 230000 $\mu$ F	10V - 125V
YKT-2W3	Radial-lead, Heteropolarity, 3 screws	5600 - 24000 $\mu$ F	50V - 80V
YKT-00L	Hybrid, Radial-lead, Heteropolarity	68 - 22000 $\mu$ F	10V - 125V
YKT-00Z	Combined Non-solid Electrolytic	160 - 50000 $\mu$ F	150V - 5000V
YKT-005	Hybrid, Square, Heteropolarity	160 - 50000 $\mu$ F	50V
YKT-2FB	Hybrid, With Mounting flange	8000- 11000 $\mu$ F	10V - 125V
YKT-00F	Hybrid, With Mounting flange	560- 230000 $\mu$ F	10V - 125V
YKT-2F0	Hybrid, With Mounting flange	1100 - 100000 $\mu$ F	10V - 125V
ZKT-30	Silver Axial Wet Tantalum Capacitors	0.5 - 3300 $\mu$ F	6.3V - 125V
ZKT-35	Silver Axial Wet Tantalum Capacitors	1 - 1500 $\mu$ F	6.3V - 125V
ZKT-01	Silver Axial Wet Tantalum Capacitors	0.1 - 1000 $\mu$ F	6.3V - 100V



*Inspired by innovation*


# SKT – Gas Tube Surge Arrester

## 2-Electrode Surge Arresters

(2-Electrode Arresters, 2R-SMD4532, 2R-SMD5042)

## 3-Electrode Surge Arresters

(3-Electrode Arresters, 3R-SMD5076)



*Inspired by innovation*



## QKT- Quartz Crystals and Oscillators

**QKT-HC49U** - Leaded Quartz Crystal  
**QKT-HC49S** - Leaded Quartz Crystal  
**QKT-HC49SMD** - SMD Quartz Crystal  
**QKT-1612SMD** - SMD Quartz Crystal  
**QKT-2016SMD** - SMD Quartz Crystal  
**QKT-2520SMD** - SMD Quartz Crystal  
**QKT-3225SMD** - SMD Quartz Crystal  
**QKT-5032SMD** - SMD Quartz Crystal

**QKT-OSC2520** - SMD Oscillator  
**QKT-OSC3225** - SMD Oscillator  
**QKT-OSC5032** - SMD Oscillator  
**QKT-OSC7050** - SMD Oscillator

**QKT-3215SMD** - SMD Quartz Crystal  
**QKT-7015SMD** - SMD Quartz Crystal

**QKT-2060DIP** - Tuning Fork Crystal  
**QKT-3080DIP** - Tuning Fork Crystal



*Inspired by innovation*

# WKT - DIP and SMD Tactile (Tact) Switches

## Tact Switches - DIP Type



## Tact Switches - SMD Type




*Inspired by innovation*

## KKT - SMD 3mm Chip Ceramic Trimmer Capacitor

Small size with external dimension of 3.2(W) x 4.5(L) x 1.5(T) mm



**3pF**



**6pF**



**10pF**



**20pF**




**30pF**

*Inspired by innovation*



## XKT - Metal Oxide Varistor (05D,07D,10D,14D,20D)

Kingtronics offers high quality XKT 05D to 20D Metal Oxide Varistor at incredibly aggressive prices.



*Inspired by innovation*

## NTC Negative Temperature Coefficient Thermistor


Kingtronics offers high quality Negative Temperature Coefficient Thermistor at incredibly aggressive prices and different material. They are Silicone and Phenolic-Resin.



*Inspired by innovation*

## Radial, Snap-in, Screw and Coin Type Super Capacitors

- ◆ Standard coin-type, Radial type, Snap-in type, Screw Type, Combined Type
- ◆ Small-sized, large capacity
- ◆ Low leakage current
- ◆ High energy and high power
- ◆ Low ESR
- ◆ Pb-free and RoHS compliant




*Inspired by innovation*



## Film Capacitors

- ◆ FKT-MB Box Type Metallized Polyester Film Capacitor
- ◆ FKT-MF Box Type Metallized Polypropylene Film Capacitor
- ◆ FKT-MX X2 Metallized Polypropylene Film Capacitor (Hot)
- ◆ FKT-MH High Voltage Box Type Metallized Polypropylene Film Capacitor
- ◆ FKT-MP Mylar Polyester Film Capacitor
- ◆ FKT-MC Metallized Polyester Film Capacitor
- ◆ FKT-ME Metallized Polypropylene Film Capacitor
- ◆ FKT-MG High Voltage Metallized Polypropylene Film Capacitor
- ◆ FKT-MD Mini Size Metallized Polyester Film Capacitor



*Inspired by innovation*

PART  
THREE



**Kingtronics  
Certifications**

# Kingtronics Certification

- **ISO 9001:2015 Certification**
- **Diode Rectifiers SGS Certification**
- **Radial Type Aluminum Electrolytic Capacitors SGS Certification**
- **Multilayer MLCC Ceramic Capacitors SGS Certification**
- **Plastic Film Capacitors SGS Certification**
- **X2 Film Capacitors VDE , ENEC and UL Certification**



ISO



SGS

**Kt<sup>®</sup>**  
**Kingtronics<sup>®</sup>**

Trademark



*Inspired by innovation*

# Kingtronics Certification



**KINGTRONICS INTERNATIONAL COMPANY**  
GROUP, LEIHOI COMMUNITY, SHI TOWN, LONG AN DISTRICT, CHENGDE CITY, GUICHUAN PROVINCE

*Has been assessed by Guangdong Zhongjian Certification Co., Ltd  
in respect of their Quality Management  
Systems and to comply with:*

**ISO9001:2015**

*Approval is hereby granted for registration providing the  
rules and conditions relating to certification are observed at  
all times*

**CERTIFICATION SCOPE:**  
**MANUFACTURE AND SALE OF TRIMMING POTENTIOMETER**

(If the above scope involves pre-approval of administration permission and compulsory certification, this certificate only covers product access to the approval / certified scope.)

Date of Issue: 2017-6-27    Valid Until: 2024-6-28  
Certificate Number: L00017Q50243R2S  
Organization Code: 91510112667550369D

This certificate remains valid only if the certified organization accepts and passes regular surveillance audits.

Approval of the  
first surveillance  
audit

Shenzhen Zhongjian Co., Ltd.

Approval of the  
second surveillance  
audit

Shenzhen Zhongjian Co., Ltd.

Approval of the  
third surveillance  
audit

Shenzhen Zhongjian Co., Ltd.

*Signature*




UKAS  
CERTIFICATION  
0158



IAF  
INTERNATIONAL  
ACCREDITED

Authorized Signatures for  
Guangdong Zhongjian Certification Co., Ltd.  
The validity of this certificate could be confirmed via official Website of CNCA (CNCA.ORG.CN/2017).  
Further to the certificate application, please register the certified organization. Visit: <http://CNCA.ORG.CN/2017> or contact CNCA/CQIC: 410-6379992  
Head Office: Building 5, Guangzhou International Trade City, Guangzhou Province, China (510608) Guangdong Zhongjian Certification Co., Ltd.  
Member of the SGS Group (ISSB SA)



**Test Report**    No. CNXGEC1400240007 AD01    Date: 25 Nov 2014    Page 1 of 5

KINGTRONICS INTERNATIONAL COMPANY  
ROOM 1, FLOOR 4, 13 YIP FUNG STREET, HONG KONG


The following sample(s) was/were submitted and identified on behalf of the client as: Chip tantalum electrolytic capacitor

SGS Ref No.: 15725258 - CQ  
Model No.: CM45-3250502C  
Tested Sample Info.: Ta205  
Date of Sample Received: 03 Jul 2014  
Testing Period: 03 Jul 2014 - 09 Jul 2014  
Test Requested: Selected test(s) as requested by client.  
Test Method: Please refer to next page(s).  
Test Results: Please refer to next page(s).  
Conclusion: Based on the performed tests on selected part of submitted sample(s), the results of Cadmium, Lead, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) comply with the limits as set by RoHS Directive 2011/65/EU Annex II, recording 2002/95/EC.


Signed for and on behalf of  
SGS-CSTC Ltd.

*Test*

Test Lv  
Approved Signatory



The Applicant is bound by the Company's terms to be General Conditions of Service printed/attached on request or available at [www.sgsgroup.com](http://www.sgsgroup.com) and to observe their terms. Subject to the General Conditions of Service, the Applicant hereby agrees to be bound by the terms and conditions of the Company's terms and conditions of service. The Applicant hereby agrees to be bound by the terms and conditions of the Company's terms and conditions of service. The Applicant hereby agrees to be bound by the terms and conditions of the Company's terms and conditions of service.



**Test Report**    Page 1 of 13

Report No. SCL03005480300103    Applicant KINGTRONICS INTERNATIONAL COMPANY  
Address ROOM 1, FLOOR 4, 13 YIP FUNG STREET, HONG KONG

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name Monolithic Ceramic Capacitors / Axial Monolithic Ceramic Capacitors / Axial Color Ring Capacitors / SMD Multilayer Ceramic Capacitors / Ceramic Capacitors  
Sample Received Date Aug. 1, 2016  
Testing Period Aug. 1, 2016 to Aug. 5, 2016


Test Requested As specified by client, to screen the 169 substances of very high concern (SVHC) under Regulation(EU) No 1907/2006 of REACH in the submitted sample(s).

Test Method Please refer to the following page(s).

Test Result(s) Please refer to the following page(s).

Summary According to the analytical results, concentrations of 169 SVHC substances are all less than 0.1%(w/w) in the submitted sample(s).


Tested by *Tao Chen*    Reviewed by *Guanghui Wua*  
Approved by *Guanghui Wua*    Date Aug. 5, 2016  
Qingdong Wua  
Lab Manager



China Testing International Group Co., Ltd. Shunde Branch  
Building, Section 2, No. 8, East of Kangang Avenue, Ringpi, Shunde District, Foshan, Guangdong, China

Member of the SGS Group (ISSB SA)

2023/11/10-47    FOWX8.E533180 - Fixed Capacitors for Use in Electronic Equipment Certified for Canada - Component (UL Product Q)

**UL Product IQ™**    

FOWX8.E533180 - Fixed Capacitors for Use in  
Electronic Equipment Certified for Canada -  
Component

Fixed Capacitors for Use in Electronic Equipment Certified for  
Canada - Component

KINGTRONICS INTERNATIONAL CO    E533180

Room 8, 4/F  
Dormind Industrial Bldg  
13 Yip Fung St  
Fauling NT, Hong Kong

Type Dwg	Capacitor Class	Voltage Rating (V)	Capacitance (µF) (Tolerance)	Resistance for IC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
FCT-MX	X2	275/305/310 Vac	0.0047 to 10 µF, (R±7/10%, M±7/20%)	—	-40	105/110

Last Updated on 2023-04-05

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow-Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product IQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-revolving manner, without any manipulation of the data or drawings; 2. The statement "Approved from Product IQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

Feedback

**VDE Prüf- und Zertifizierungsinstitut**

**ZEICHENGENEHMIGUNG  
MARKS APPROVAL**

KINGTRONICS INTERNATIONAL COMPANY  
FLAT/ RM B 4/F DORMIND  
INDUSTRIAL BUILDING 13 YIP FUNG STREET FAULING NT,  
Hong Kong Island Hong Kong  
00552

ist berechtigt, für ihr Produkt /  
is authorized to use for their product

Festkondensator zur Unterdrückung elektromagnetischer  
Störungen, geeignet für Netzbetrieb  
Fixed capacitor for electromagnetic interference  
suppression and connection to the supply mains

die hier abgebildeten markenrechtlich geschützten Zeichen  
für die ab Blatt 2 aufgeführten Typen zu benutzen /  
the legally protected Marks as shown below for the types referred to on page 2 ff.




Geprüft und zertifiziert nach /  
Tested and certified according to

DIN EN 60384-14 (VDE 0885-1-1) 2014-04, EN 60384-14:2013-08  
DIN EN 60384-14:01 (VDE 0885-1-1) 2013-04, EN 60384-14:2013-01-16  
Das Produkt erfüllt auch die Anforderungen nach /  
The product also fulfills the requirements of  
IEC 60384-14:2013  
IEC 60384-14:2013 (AMD1:2016)



Anzahlseiten: 5029709-4870-0001 | 305583  
File Ref.  
Anzahlblätter: 40056691    Blatt 1  
Certificate No.    Page  
Unterzeichnung durch: *Stefan Schmitt*    Unterschrift  
Zertifizierungsstelle / Certification    Offenbach, 2023-04-13

**VDE**

VDE Zertifikate sind nur gültig bei Verifizierung unter  
VDE-Prüfung und nur gültig bei Verifizierung unter  
<http://www.vde.com/zertifikat>

Inspired by innovation



PART  
FOUR



**Kingtronics  
Customers**

# Kingtronics Customers



Kingtronics freely provided various of [Promotional Literature](#) to all our customers

*Inspired by innovation*

PART  
FIVE

5

**Kingtronics  
Exhibitions**

# Kingtronics Exhibitions

Electronic Americas FIEE



ElectronicAsia HK



2009,2012 2011

ElectronicAsia HK



2012,2014,2016

Munich Electronica



2018

Munich Electronica



2019

2020

Munich Electronica



*Inspired by innovation*





# Kingtronics Exhibitions



*Inspired by innovation*



# Kingtronics at Munich Electronica 2018



*Inspired by innovation*



# Kingtronics at ElectronicAsia HK 2019



*Inspired by innovation*



# Kingtronics Promotional Literature

**Kingtronics International Company**  
ISO 9001:2008  
Manufacturer Since 1995

**MKT - Radial Multilayer Ceramic Capacitors**

**AKT - Axial MLCC Ceramic Capacitors**

**LKT - Low Voltage Multilayer Chip Ceramic Capacitor - SMD**  
**HKT - High Voltage Multilayer Ceramic Capacitor - SMD**

**KKT - 3mm SMD CHIP CERAMIC TRIMMER CAPACITOR**

**TKT - Tantalum Capacitor - Dipped**

**Kingtronics Kt®**  
Bridge Rectifiers  
Diodes & Rectifiers  
Enhancer Parameters  
Biggest Tantalum Capacitors  
Multilayer Ceramic Capacitors

*Inspired by innovation*

Kt Kingtronics - Full Range Catalog

**Kingtronics International Company**  
www.kingtronics.com www.kingtronics.cn www.mt7diode.com

**ISO 9001:2015**  
Manufacturer Since 1996

**Features**

1. Very good Q and high resonant frequency
2. Heat resistant resin withstands reflow soldering temperatures
3. Ultra miniature size with lateral dimension of 3.0mm x 2.0mm x 0.8mm
4. Can be attached with conventional standard tools having a thickness of 0.5mm
5. Color-coded ends according to its capacitance range for easy visual identification

3MM Ceramic Capacitors Leaflet

**Kingtronics International Company**  
www.kingtronics.com www.kingtronics.cn www.mt7diode.com

**ISO 9001:2015**  
Manufacturer Since 1996

**Kingtronics International Company**

passive part full Range Catalog

**Kingtronics International Company**  
www.kingtronics.com www.kingtronics.cn www.mt7diode.com

**ISO 9001:2015**  
Manufacturer Since 1996

**Kingtronics International Company**

Transistors and Diodes Leaflet

**Kingtronics International Company**  
www.kingtronics.com www.kingtronics.cn www.mt7diode.com

**ISO 9001:2015**  
Manufacturer Since 1996

**Kingtronics International Company**

Bridge Rectifier Leaflet

**Kingtronics International Company**  
www.kingtronics.com www.kingtronics.cn www.mt7diode.com

**ISO 9001:2015**  
Manufacturer Since 1996

**Kingtronics International Company**

File Folder Souvenir

**Kingtronics International Company**  
www.kingtronics.com www.kingtronics.cn www.mt7diode.com

**ISO 9001:2015**  
Manufacturer Since 1996

**Kingtronics International Company**

E-Cap File Folder Souvenir

**Kingtronics Kt International Company**  
www.kingtronics.com www.kingtronics.cn www.mt7diode.com

**ISO 9001:2015**  
Manufacturer Since 1996

**Kingtronics International Company**

Aluminum Elec. Capacitors Leaflet



PCB Sample Box



Nylon Folding Reusable Bags



3-in-1 Universal Cable

*Inspired by innovation*






# Kingtronics® International Company



ISO 9001:2015

Manufacturer since 1990



<https://www.youtube.com/c/Kingtronicskt>



<https://www.linkedin.com/company/kingtronics-international-co/>



<https://twitter.com/Kingtronics>